


No.



7300047

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Dessert Seed Company, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE
Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *seventeen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

ONION

"White Creole PRR"

In Testimony Whereof, I have hereunto set
my hand and caused the seal of the Plant
Variety Protection Office to be affixed
at the City of Washington
this ninth day of January in
the year of our Lord one thousand nine
hundred and seventy-five

Attest:

L. J. Rollin
Commissioner
Plant Variety Protection Office
Grain Division
Agricultural Marketing Service

Earl L. Butz

Secretary of Agriculture

OBJECTION: To get a pink-root resistant White Creole for dehydration.

12A. GENEEOLOGY

- 1959 Crossed pink root susceptible White Creole with pink root resistant L303 (Eclipse) using fly pollinators.
- 1960 F-1 plants grown seed to seed and backcrossed to White Creole.
- 1961 Backcrossed plants grown seed to seed and selfed in small cage using fly pollinators.
- 1962 Selfed backcross seed planted in pink root infested soil, selected resistant plants, all others low in in dry matter about 14 percent.
- 1963 Resistant plants were crossed with White Creole to increase dry matter.
- 1964 Planted layer quantities of 1962 seed in infested soil to get a larger number of resistant bulbs.
- 1965 Crossed resistant plants in White Creole to get higher dry matter.
- 1966 Crossed the 1965 selection in White Creole again.
- 1967 Selfed planted to get a population segregating for resistance.
- 1968 Planted selfed seed in pink root infested soil and selected for resistance.
- 1969 Planted resistant bulbs in 12' x 24' screen cage used bee pollinators and harvested about 3½ pounds of seed.
- 1970 Not planted.
- 1971 Seed from 1969 cage was planted for increase.
- 1972 Final 12' x 24' screen cages were planted for seed increase.

There are no identifiable genetic variants

12B. COMPARED WITH COMMERCIAL WHITE CREOLE

It is resistant to the Texas strain of pink root *Pyrenochaeta Terrestriis*. It has a higher percentage of single centers less prone to doubling and splitting. It has a higher percentage of dry matter. It has less tendency to bolt. It is homogeneous for the male-sterility gene. Bulbs are 7-10 days earlier maturing.

Onion No. 7300047 'White Creole PRR'

D. 'White Creole PRR' most closely resembles "White Creole" but is resistant to pink root and contains 1% percent more solids.

7/67 per ltr 9/14/77

12E.

All this work and breeding was done on Dessert Seed Research Farm under Dr. Jones supervision who is the head of our Research Program and under contract to Dessert Seed.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.

1. VARIETY NAME OR TEMPORARY DESIGNATION White Creole PRR		2. KIND NAME Onion		FOR OFFICIAL USE ONLY	
3. GENUS AND SPECIES NAME Allium Cepa		4. FAMILY NAME (Botanical) Liliaceae		PV NUMBER 73047	
5. DATE OF DETERMINATION MAY 1972 <i>7/7 per phone 1/9/75</i>		FILING DATE 1.19.73		TIME 12 NOON	
6. NAME OF APPLICANT(S) Dessert Seed Co., Inc.		7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) P.O. Box 181 1st & Ross Ave. El Centro, Ca. 92243		FEE RECEIVED \$ 250 \$ 250 \$ 250	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.) Dessert Seed Co., Inc.		10. STATE OF INCORPORATION California		BALANCE DUE \$ — \$ — \$ —	
11. DATE OF INCORPORATION 1955		8. TELEPHONE AREA CODE AND NUMBER 714- 352 -2081			

12. Name and mailing address of applicant representative(s), if any, to serve in this application and receive all papers:

A. M. Dessert
c/o Dessert Seed Company, Inc.
P.O. Box 181
El Centro, Calif. 92243

13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:

- ☐ 13A. Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)
- ☐ 13B. Exhibit B, Botanical Description of the Variety
- ☐ 13C. Exhibit C, Objective Description of the Variety
- ☐ 13D. Exhibit D, Data Indicative of Novelty
- ☐ 13E. Exhibit E, Statement of the Basis of Applicant's Ownership

14A. Does the applicant(s) specify that seed of this variety be sold by variety name only as a class of certified seed? (See Section 83(a). (If "Yes," answer 14B. and 14C. below.) ☐ YES ☒ NO14B. Does the applicant(s) specify that this variety be limited as to number of generations? ☐ YES ☒ NO14C. If "Yes," to 14B, how many generations of production beyond breeder seed? ☐ FOUNDATION ☐ REGISTERED ☐ CERTIFIED

The applicant declares that a viable sample of basic seed of this variety will be deposited upon request before issuance of a certificate and will be replenished periodically in accordance with such regulations as may be applicable.

The undersigned applicant(s) of this sexually-reproduced novel plant variety believes that the variety is distinct, uniform, and stable as required in Section 41 and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Applicant is informed that false representation herein can jeopardize protection and result in penalties.

2-13-73
(DATE)

2-
(DATE)

A. M. Dessert
(SIGNATURE OF APPLICANT)

1
(SIGNATURE OF APPLICANT)

OBJECTIVE DESCRIPTION OF VARIETY
ONIONS (ALLIUM CEPA L.)

REFERENCES: See Reverse.

NAME OF APPLICANT(S)

Dessert Seed Company, Inc.

ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code)

P.O. Box 181
El Centro, Calif. 92243

FOR OFFICIAL USE ONLY

PVPO NUMBER

73047

VARIETY NAME OR TEMPORARY
DESIGNATION

White Creole PRR

Place the appropriate number that describes the varietal character of this variety in the boxes below.
Place a zero in first box (e.g., or) when number is either 99 or less or 9 or less.

1. TYPE:

1 = BULB 2 = BUNCHING

1 = SHORT DAY 2 = LONG DAY

TO DEGREES MEAN LATITUDE - ADAPTATION RANGE

Maturity (days): 1 = EARLY (75 - 90) 2 = MEDIUM (100 - 120) 3 = LATE (> 130)

2. PLANT

CM. HEIGHT ABOVE SOIL LINE TO HIGHEST POINT OF ANY FOLIAGE

CM. TALLER THAN Red Creole (Comparable variety)CM. SHORTER THAN Red Creole (Comparable variety)

1 = ERECT (Spartan Gem) 2 = INTERMEDIATE 3 = FLOPPY (Epoch)

3. LEAF:

CM. LONG (before maturity yellowing begins)

MM. WIDE

MM. THICK AT MIDLENGTH OF LONGEST LEAF

Color: 1 = LIGHT GREEN (Early Grano) 2 = MEDIUM GREEN (Yellow Bermuda)
3 = BLUE GREEN (Australian Brown U.C. No. 1)

Bloom: 1 = NONE - glossy 2 = LIGHT (Early Grano) 3 = MEDIUM (Crystal Wax) 4 = HEAVY (California Early Red)

4. SHEATH:

MM. COLUMN LENGTH (Height from soil line to base of lowest succulent leaf)

MM. DIAMETER AT MIDLENGTH

Scape: CM. FROM SOIL LINE TO BASE OF INFLORESCENCE

Scape: MM. DIAMETER AT MIDLENGTH

5. INFLORESCENCE:

Umbel (for seed production)

MAXIMUM NO. PER PLANT

MINIMUM NO. PER PLANT

AVERAGE NO. PER PLANT

MM. DIAMETER

1. COMPACT 2 = LOOSE/OPEN 3 = SHAGGY

Spathe: 1 = LONG BEAK 2 = SHORT BEAK

Flower Color: 1 = WHITE 2 = GREEN 3 = BRIGHT GREEN

MM. ANTHER LENGTH

Anther Color: 1 = LIGHT GREEN 2 = DARK GREEN 3 = YELLOW 4 = PALE YELLOW 5 = CHOCOLATE 6 = RED

Pollen Viability: 1 = STERILE 2 = FERTILE

Sepal Shape: 1 = LONG POINTED 2 = ROUND SHORT

6. BULB:

AVERAGE NUMBER BULBS PER METER

Size (Harvest): 1 = SMALL (Red Creole) 2 = MEDIUM (Australian Brown U.C. No. 1) 3 = LARGE (Early Grano)

Shape (see attached chart): 1 = GLOBE (White Sweet Spanish) 2 = DEEP GLOBE (Abundance)
3 = FLT. GLOBE (Australian Brn. U.C. No. 1) 4 = TOP SHAPE (Texas Grano 502)
5 = DEEP FLAT (Granex) 6 = THICK FLAT (Ebenezer)
7 = FLAT (Crystal Wax) 8 = TORPEDO-LONG OVAL (Italian Red)

CM. HEIGHT \div CM. DIAMETER = SHAPE INDEX

1 = INVAGINATE 2 = EVAGINATE

Color (Skin): 01 = BROWN (Australian Brn. U.C. No. 1) 02 = PURPLISH RED (Italian Red)
03 = BUFF RED (Red Creole) 04 = PINKISH YELLOW (Ebenezer)
05 = BROWNISH YELLOW (Mt. Danvers) 06 = DEEP YELLOW (Brigham Yellow Globe)
07 = MEDIUM YELLOW (Early Yellow Globe) 08 = PALE YELLOW (Yellow Bern)
09 = WHITE (White Sweet Spanish) 10 = OTHER (Specify)

Color (Interior): 1 = PINK 2 = RED 3 = PURPLISH-RED 4 = WHITE
5 = CREAM 6 = LIGHT GREEN-YELLOW 7 = DARK GREEN-YELLOW

Scales: 1 = FEW (Crystal Wax) 2 = MEDIUM (Australian Brown U.C. No. 1) 3 = MANY (Sweet Spanish)

Scales: 1 = THICK (Australian Brown U.C. No. 1) 2 = MEDIUM (Red Creole) 3 = THIN (Crystal Wax)

Scale Retention: 1 = VERY GOOD (Australian Brn. U.S. No. 1) 2 = GOOD (Ebenezer)
3 = FAIR (Red Wethersfield) 4 = POOR (Crystal Wax)

Pungence: 1 = MILD (Early Grano) 2 = MEDIUM (Crystal Wax) 3 = STRONG (White Creole)

Storage: 1 = GOOD (Ebenezer) 2 = FAIR (Yellow Globe Danvers) 3 = POOR (Crystal Wax)

7. DISEASE RESISTANCE (0 = Not Tested; 1 = Susceptible; 2 = Resistant)

☐ BLACK MOLD ☐ NECK ROT ☐ PURPLE BLOTCH ☐ SMUT
☐ MILDEW ☒ PINK ROOT ☐ SMUDGE ☐ YELLOW DWARF

8. INSECT RESISTANCE: (0 = Not Tested; 1 = Susceptible; 2 = Resistant)

THRIP ☐ OTHER (Specify)


9. INDICATE A VARIETY THAT MOST CLOSELY RESEMBLES THAT SUBMITTED:

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Leaf Height	White Creole	Flower Ball	White Creole
Leaf Color	" "	Bulb Color	" "
Leaf Bloom/Wax	" "	Bulb Size	" "
Flower Stalk	" "	Bulb Shape	" "
Maturity at Same Location	" "		

REFERENCES

- Jones, H. A. and Mann, L. K. 1963 -- Onions and Their Allies, Interscience Publishers, Inc., New York
 USDA Misc. Pub. No. 435, 1941 -- Descriptions of Types of Principal American Varieties of Onions
 Hayward, H. E., 1938 -- The Structure of Economic Plants, McMillan, New York (Reprint 1967)
 Ag Research, 7 (8):8 -- Feb. 1959 -- Branding Onion Outcasts
 Salem, I. A. 1966 -- Inheritance of Onion Bulb Shape, Iowa St. University -- PhD thesis

INSTRUCTIONS



GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.